

General
Index

INDEX

| | | | |
|----------------------------------|-----|-------------------------------------|---------------|
| Acalypha | 81 | Carex brevior | |
| Actinoceras gravicentrum | 138 | var. pseudofestucacea | 47 |
| Alloglossidium | 569 | Chert, silification | 92 |
| Kenti | 570 | Columinaria halli | 128 |
| Alloplagiorchis | 573 | Crania millepunctata | 186 |
| Garricki | 574 | Cyclonema | 18 |
| Anallocreadium | 563 | Cylindrophyllum Floydense | 176 |
| armatum | 564 | Cystoidosaccus | 481 |
| Ants, bees and wasps— | | Fultoni | 482 |
| (Book Review) | 561 | | |
| Artemisia | 25 | Decorah formation | 91, 93 |
| borealis canadensis | 31 | Devonocidaris Jacksoni | 183 |
| caudata | 28 | primaevus | 184 |
| frigida | 31 | Dibothriocephalus perfoliatus | 97 |
| glaucia cernua | 27 | Dinorthis deflecta Gibbosa | 131 |
| glaucia dracunculoides | 26 | Diplobothrium hamulatum | 579 |
| gnophalodes | 35 | Dystactospongia minor | 127 |
| Ludoviciana | 34 | | |
| Ludoviciana lindheimeriana | 35 | Eatonia gregaria | 196 |
| Missouri | 25 | Equisetites | 535 |
| Astrorhizae | 281 | Eurystomites Robertsoni | 139 |
| | | | |
| Bactrocrinus westoni | 177 | Faunule | 1, 2, 6, 7, 9 |
| Barbatum Schneckii (Rehder) | | Faunules, analogous | 20 |
| n. comb. | 116 | homologous | 19 |
| Biostratigraphic terms, Eco- | | recurrent | 20 |
| logic interpretation of | 1 | Flowers, wild, of Pennsylvania | |
| Birds of Pennsylvania | | (Book Review) | 601-2 |
| (Book Review) | 601 | Fossils | 86, 125, 171 |
| Boll, Jacob | 439 | | |
| Botrychium multifidum (Gmel.) | | Grasses of Indiana | |
| Rupr.; var. intermedium | 42 | (Book Review) | 602 |
| Buthotrephis Sp. | 126 | | |
| Brachiatus | 126 | Halipegus perplexus | 576 |
| regularis N. Sp. | 125 | Hepatica Americana | |
| | | var. maculata | 56 |
| Camarella bella | 136 | Hippochaete laevigata | |
| Camarophoria paupera | 193 | var. Etonii | 42 |

INDEX

| | | | |
|-------------------------------------|--------|--------------------------------------|------------|
| var. intermedia | 43 | Microcreadium parvum | 567 |
| prelata var. scabrella | 43 | Missouri, trees and shrubs | 101 |
| Hydrangea | 255 | Monotrypa | 129 |
| arborescens var. Australis | 255 | Mytilus edulis | 17 |
| Ashei | 256 | | |
| Hypothyridina magister | 198 | Nassovicrinus goldringae | 179 |
| | | Pachyllum Websteri | 171 |
| Indiana, grasses of | | Paleoplyrus tubulare | 126 |
| (Book Review) | 602 | Panicum bicknellii var. bushii | 44 |
| Isopods, terrestrial | 258 | Lindheimeri var. | |
| | | Tennesseense | 45 |
| Joachim formation | 87, 94 | Pianodema pervita | 133 |
| Juncus | 73 | subaequata | 132 |
| | | Plants, Michigan | 41 |
| Kimmswick formation | 93 | Plants of Cold Spring Harbor | 589 |
| | | Plattin formation | 86, 87, 94 |
| Lepidocentrus? Thomasi | 181 | Platyrachella Ballardi | 204 |
| Lichenocrinus | 453 | Platystrophia | 18 |
| Ashmanni | 468 | ulsterensis | 206 |
| Calyx of | 491 | Polygonatum | 74 |
| crateriformis | 470 | Prismatophyllum | 13 |
| dubius | 465 | Oweni | 174 |
| dyeri | 469 | Productella fragilis | 192 |
| Fentonae | 462 | Protorhyncha? Platinensis | 135 |
| irregularis | 473 | Prunella | 82 |
| Kemperer | 473 | | |
| Milleri | 476 | Quercus | 78 |
| nodosus | 477 | | |
| ornatus | 496 | Rafinesquina Minnesotensis | 130 |
| Pattersoni | 461 | Rhagon | 285 |
| Schlemmeri | 466 | | |
| Shideleri | 478 | Saxifraga | 213 |
| Shideleri regularis | 479 | Palmeri | 220 |
| Stetteri | 466 | pennsylvanica crassicaarpa | 228 |
| tuberculatus | 474 | pennsylvanica dichotoma | 232 |
| twitchelli | 463 | pennsylvanica Forbesii | 233 |
| voupeli | 467 | pennsylvanica fultior | 230 |
| Lioclema occidens | 12 | pennsylvanica hirsuta | 230 |
| Lonicera dioica | | pennsylvanica purpuri- | |
| var. Douglasii | 267 | petala | 229 |
| | | pennsylvanica tomentosa | 231 |
| Michigan, botanical gleanings | 41 | pennsylvanica winnebag- | |
| Micranthes Pennsylvanica | | ensis | 229 |
| dichotoma | 233 | petiolaris | 224 |
| tomentosa | 232 | | |

INDEX

| | | | |
|---------------------------|----------|-------------------------------|-------|
| Schizophoria | 160 | Tilia, Mexican species of | 543 |
| Floydensis | 187 | Tilia, ambigua | 551 |
| Meeki | 160 | arsenei | 550 |
| Scirpus | 72 | longipes | 554 |
| Shellrock stage | 165, 171 | nelsoni | 553 |
| Solidago | 82 | patzcuaroana | 557 |
| Spirifer | 18 | Pertomentosa | 559 |
| cardenalis | 201 | pringlei | 560 |
| Stachys | 82 | roseana | 559 |
| Stenobothrium | 503 | sargentiana | 557 |
| Stratigraphy | 86, 125 | Tradescantia reflexa | 600 |
| Streptelasma corniculum | | reflexa forma albiflora | 600 |
| medium | 128 | Trematodes | 563 |
| Stropheodonta cicatricosa | 189 | Triganodistomum | 571 |
| Scottensis | 190 | translucens | 572 |
| Strophomena | 144 | Trigonotreta shellrockensis | 202 |
| auburnensis | 148 | Tropidoleptus | 519 |
| delicatula | 155 | | |
| dignata | 151 | Unisema | 72 |
| exigua | 152 | | |
| filitexta | 500 | Viola nephrophylloides n. sp. | 64 |
| inconsueta | 154 | | |
| musculosa | 153 | Xenobasis | 480 |
| neglecta | 157 | williamsi | 480 |
| plattinensis | 149 | | |
| vetusta | 157 | Zonule | 2, 20 |
| winchelli | 150 | | |